

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	DEWITT-JIMMIE-EARL-JR.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:11
S3	32	DEWITT-JIMMIE-EARL-JR.in. and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:12
S4	17	DEWITT-JIMMIE-EARL-JR.in. and cache.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:11
S5	3	DEWITT-JIMMIE-EARL-JR.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:16
S6	136	LEVINE-FRANK-ELIOT.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:15
S7	5	LEVINE-FRANK-ELIOT.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:17
S8	2	DEWITT-JIMMIE-EARL-JR.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:17
S9	2	LEVINE-FRANK-ELIOT.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:17

S10	34	RICHARDSON-CHRISTOPHER-MICH AEL.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:18
S11	3	RICHARDSON-CHRISTOPHER-MICH AEL.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:18
S12	2	RICHARDSON-CHRISTOPHER-MICH AEL.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:18
S13	79	URQUHART-ROBERT-JOHN.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:19
S14	5	URQUHART-ROBERT-JOHN.in. and cache adj line.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:19
S15	2	URQUHART-ROBERT-JOHN.in. and flag adj bits.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 16:20
S16	59	("20010032305" "20020019976" "2 0020124237" "20020129309" "2002 0147965" "20020199179" "4291371 " "5103394" "5691920" "5774724" " "5930508" "5938778" "5966537" "5 987250" "6070009" "6101524" "618 9141" "6192513" "6206584" "62233 38" "6256775" "6286132" "6324689 " "6330662" "6351844" "6374364" " "6430741" "6442585" "6480938"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:20
S17	28	S16 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:17

S19	0	S16 and (false with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:18
S20	3	S16 and (cache with shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:21
S21	7135	711/118,125-126,130,133-134, 144-145,154-156,159.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:36
S22	1113	false\$2 with shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:37
S23	104	false\$2 with shar\$3 with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:37
S24	29	S23 and (flag with bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:55
S25	18	S24 and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 17:41
S26	39	S23 and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:10

S27	44	S23 and (processor\$1 with bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:11
S28	36	S23 and (processor\$1 near5 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 18:15
S30	0	dectect\$4 with fals\$2 with shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:35
S31	37	identif\$6 with false\$2 with shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:37
S32	227	false\$2 near2 shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 11:38
S33	80	S32 and ((bit\$1 or flag\$1 or tag\$1) same processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:20
S34	4	("5140681" "5394555" "6449699" "6587922").PN. OR ("6963953").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 13:05
S35	14	("5313578" "5440710" "5598553" "5758183" "5761729" "5787480" "5822763" "5933598" "5946716" "5950228" "5960461" "6088758" "6330649").PN. OR ("6457107"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 13:41
S36	15	("5749095" "5778423" "5829025" "5860126" "5873117" "5887138" "5893144" "5909697" "6021468" "6038642").PN. OR ("6636950"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 16:07

S37	227	false\$2 near2 shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:20
S38	29	S37 and ((semaphore\$1 or lock\$1) same processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:33
S39	6	S37 and ((semaphore\$1) same processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:21
S40	227	false\$2 near2 shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 17:54
S41	72	S40 and (set with processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:18
S42	18	S40 and (set with bit with processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 17:54
S43	14	dirty cache hit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/07 18:00
S44	79	dirty near2 cache near2 hit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:40

S46	2	"5829025".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:19
S47	2	"6021468".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:20
S48	2	"6038642".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:20
S49	15	S40 and (redirect\$3 or re-direct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 16:28
S50	78	S40 and (point\$2 same (cache or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:39
S51	42	S40 and (pointer same (cache or memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:51
S52	2	"6574727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:52
S53	3	"6708296".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 18:52

S54	46	true sharing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 11:12
S55	2	"5909697".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:18
S56	2	"5873117".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:19
S57	2	"5893144".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 11:19
S58	227	false\$2 near2 shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:29
S59	10	S58 same interrupt\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:20
S60	59	S58 and interrupt\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:23
S61	11	processor flag bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:25

S63	168	S58 and ((write or read) flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:45
S64	103	S58 and (processor same ((write or read) flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:30
S65	47	S58 and (processor same ((write or read) flag) same (set or high))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:32
S66	24	S65 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:32
S70	18	S58 and ((write or read) near2 flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 12:46
S71	81	"D" near2 cache near2 hit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:43
S72	39	S71 and false\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:43
S73	41	S71 and shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:46

S74	21	S73 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:51
S75	417	(modif? with cache) same shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:52
S76	340	S75 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 14:54
S78	31	S76 and false\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:11
S79	2	"6678798".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:11
S80	331	(redirect\$3 or re-direct\$3) near2 (request or access) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:31
S81	8	S80 and (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:55
S82	548	((redirect\$3 or re-direct\$3) with (request or access)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:31

S83	8	S82 and (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:30
S84	64	((redirect\$3 or re-direct\$3) with (request or access)) same shar\$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:38
S85	0	((deviate) with (request or access)) same shar\$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:38
S86	540	((direct) with (request or access)) same shar\$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:39
S87	458	((direct) near2 (request or access)) same shar\$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:39
S88	17	((shift) with (request or access)) same shar\$3 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:52
S92	31822	processor with (flags tags bits fields headers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:57
S93	37	S92 and (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:56

S95	40	S92 and ((false sharing) or (false cache line sharing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 16:57
S96	2598	(processor with (flags tags bits fields headers)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:00
S10 5	690	(processor with (flags tags bits fields headers)) same (cache adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:38
S10 6	127	(processor with (flags tags bits fields headers)) same (cache adj line\$1) same shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:02
S10 7	15	(processor with (flags tags bits fields headers)) same (cache adj line\$1) same shar\$3 same compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:37
S10 8	46	(processor with compar\$3 with (flags tags bits fields headers)) same (cache adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:04
S10 9	3	(processor with (flags tags bits fields headers)) same (cache adj block\$1) same shar\$3 same compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:38
S11 0	90	(processor with (flags tags bits fields headers)) same (cache adj block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 18:21

S11 3	271	processor with owner\$4 with cache adj (line\$1 or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 18:42
S11 4	18	processor with owner\$4 with (flags tags bits fields headers) with cache adj (line\$1 or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 10:56
S11 5	18	processor with owner\$4 with (flags tags bits fields headers) with cache adj (line\$1 or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 10:56
S11 6	16	S115 and shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 10:56
S11 7	0	S115 and false\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 12:51
S12 1	28	(modif\$7 with cache) same false\$2 same shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/09 12:56
S12 3	6	(establish\$ verif\$ reveal\$ uncover\$) with (false\$2 adj shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:32
S12 5	22	(determin\$ or identif\$) with (false\$2 adj shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:29

S12 8	2	(decid\$ resolv\$ conclud\$) with (false\$2 adj shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:33
S12 9	5	(determin\$ or identif\$) with (flags tags bits fields headers) with (false\$2 adj shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 13:28
S13 0	33	(determin\$ or identif\$) with (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:44
S13 1	8	(establish\$ verif\$ reveal\$ uncover\$) with (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 13:32
S13 2	2	(decid\$ resolv\$ conclud\$) with (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:33
S13 3	61	(determin\$ or identif\$) same (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:11
S13 4	2	(semaphore or identifier) same (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:12
S13 5	11	(indicator) same (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:47

S13 6	25	(check\$3 read\$3 compar\$4 evaluat\$4) with (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:49
S13 7	23	("4141067" "4520439" "4779189" "4875155" "5129060" "5241641" "5291442" "5388222" "5423019" "5488709" "5491811" "5526482" "5553307" "5617530").PN. OR ("5710881").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/14 11:00
S13 8	63	access same (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:18
S13 9	28	(false\$2 near2 shar\$3) same ((seperate different new second another) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:21
S14 0	9	(false\$2 near2 shar\$3) same (pointer with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:23
S14 1	53	(false\$2 near2 shar\$3) same (avoid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:35

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	(performance indicator) with (cache line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/15 10:48
S2	28124	(access request) with (set setting) with (flag tag bit field header semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 10:50
S3	15774	(access request) near5 (set setting) with (flag tag bit field header semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 10:53
S4	24	S2 and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:00
S5	28	"access flag bit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:10
S6	3	owner near5 (set setting) and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:14
S7	10	(processor near5 (flag tag bit field header semaphore) near5 (set setting)) and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:18
S8	16	(processor with (flag tag bit field header semaphore) with (set setting)) and (false adj sharing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:16

S9	14	(processor near5 (flag tag bit field header semaphore) near5 (set setting)) and (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:18
S10	49	(US-5497496-\$ or US-5862385-\$ or US-6000013-\$ or US-6049669-\$ or US-6070205-\$ or US-6092182-\$ or US-5893163-\$ or US-5956503-\$ or US-5745058-\$ or US-6240488-\$ or US-5398321-\$ or US-5465377-\$ or US-5473561-\$ or US-5475853-\$ or US-5689693-\$ or US-5751994-\$ or US-5765190-\$ or US-5887166-\$ or US-6029240-\$ or US-6073215-\$ or US-4949291-\$ or US-5473348-\$ or US-5983021-\$ or US-5317711-\$ or US-5555355-\$ or US-5636363-\$). did. or (US-5894582-\$ or US-5935255-\$ or US-6185672-\$ or US-6212621-\$ or US-6247114-\$ or US-6460130-\$ or US-4471433-\$ or US-5546593-\$ or US-5565886-\$ or US-5829010-\$ or US-5963655-\$ or US-6023441-\$ or US-6065097-\$ or US-6105127-\$ or US-6578065-\$ or US-5619665-\$ or US-5666506-\$ or US-5737550-\$ or US-5887183-\$ or US-5448746-\$ or US-5860101-\$ or US-5467473-\$ or US-5504932-\$). did.	USPAT	OR	ON	2006/02/15 15:45
S11	4	S10 and (false\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:46
S12	0	S10 and (false\$2 near2 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:46
S13	23	S10 and shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:40

S14	69	("0124237" "0129309" "0014965" "0147965" "0019976" "0199179" "0032305" "4291371" "5103394" "5691920" "5774724" "5930508" "5937437" "5938778" "5966537" "5987250" "6070009" "6101524" "6134676" "6189141" "6192513" "6206584" "6223338" "6243804" "6256775" "6286132" "6324689" "6330662" "6351844" "6374364" "6430741" "6442585" "6446029" "6480938").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 17:40
-----	----	---	---	----	----	------------------